

# **Urgent Field Safety Corrective Notice - MyWay Harness**

FSCA-25-02-20

25<sup>th</sup> February 2020

**Attention:** Users, customers, carers, parents, therapists, health professional staff and distributors.

**Products affected: ALL MYWAY HARNESSES** 

The affected products were manufactured after August 2018.

Product Code	Size	Colour
173-4100-04	1	Green
173-4200-07	2	Purple
173-4300-02	3	Blue
173-4400-09	4	Red
173-4500-06	5	Orange
173-4600-08	6	Grey

#### Description of the problem:

Through our post-market surveillance activities and returns, we have observed a very small number of isolated complaints relating to a reduction in the adhesiveness of the Velcro on the MyWay harnesses. The MyWay harness consists of two Velcro locking mechanisms. All reported failures relate to the first Velcro strap as detailed in picture A. We have had no recorded incidents where the secondary Velcro strap has failed as highlighted in picture B.

As explained in the user instructions, please ensure that the first Velcro strap (Picture A) is holding firmly before commencing with the use of the product. If either of the Velcro straps is damaged, badly worn or ineffective, then **do not use the product.** 

Picture A Picture B





19c Ballinderry Road Lisburn BT28 2SA Co.Antrim Northern Ireland UK 0800 318265 [+44] 28 9260 0750 leckey.com hello@leckey.com










#### Solution to problem:

- Two additional buckles have been added to the harness and the effectiveness of the Velcro has been improved (higher cycle life)
- The revised design has been rigorously tested to prove its efficacy and safety



#### Advice on action to be taken by the user:

- Continue to use the harness, but pay attention to the status of the Velcro. Conduct daily visual checks of the harness and never use a badly worn harness. In particular, carefully check:
  - the harness and all straps/buckles for signs of wear and tear
  - the Velcro strip and remove any fluff caught in the Velcro hooks to ensure it secures firmly
  - the harness hoisting point and hoisting straps for signs of wear and tear.
- Please complete the enclosed FSCN reply form. If you received the harness and this
  notification directly from Leckey, please send your completed form, by email, to the contact
  reference person listed below. If you received this notification from another provider,
  please follow the advice from your provider on where to send the completed form. On
  receipt of the form, a new harness will be sent to you. Details on the replacement of your
  harness will be sent to you either directly from Leckey or from your provider.
- Once you receive this replacement it is essential that you cut through the straps of your old harness and securely dispose of it to ensure this product is no longer used.

#### Advice on action to be taken by providers/organisations (including action by Distributors):

Transmission of this Field Safety Notice: This notice needs to be passed on to all those who
need to be aware within your organisation or to any organisation where the potentially

19c Ballinderry Road Lisburn BT28 2SA Co.Antrim Northern Ireland UK 0800 318265 [+44] 28 9260 0750 leckey.com hello@leckey.com











affected devices have been transferred / sold. Please transfer this notice to other organisations on which this action has an impact. Please maintain awareness on this notice and resulting action for an appropriate period to ensure effectiveness of the corrective action.

 Please ask your end user customers to complete the reply forms and return these directly to you. Once you receive all the necessary reply forms from your end users customers or other organisation, please complete the reply form and indicate that all have received and understood the "Field Safety Corrective Notice."

## Important!

Maintain awareness on this notice and resulting action for an appropriate period to ensure effectiveness of the corrective action.

If in any doubt, please contact our customer service centre on the number below for clarification.

We sincerely apologise for any inconvenience caused by this safety alert.

**Contact reference person:** Ciaran McKinley

**Quality Manager** 

James Leckey Design Ltd.

19C Ballinderry Road, Lisburn, N. Ireland, UK.

+44 (0)28 9260 0750

ciaran.mckinley@leckey.com

The undersigned confirms that this notice has been forwarded to the appropriate Regulatory Agency

For and on behalf of James Leckey Design Ltd

XXX













# Field Safety Corrective Notice Reply Form: Response Required

Please complete this form

## FSCA-25-02-20

Our records indicate that you have received one or more MyWay Harnesses manufactured from August 2018 onwards. Please fill out and return this **Field Safety Corrective Notice Reply Form.** 

1.	Do you currently possess a	any of the	e affect	ed products?	
	YES		NO [		
	If your harness has moved accessory is no longer in u		please	specify the new location below (or in	ndicate if the MyWay
2.			-	please complete this question, other fected products to your customers?	wise skip to Q3.
	YES  If you answered yof the Field Safet			k this box to confirm that you have no	otified these customers
3.	<del>-</del>	-		ist the number of affected products b	
	and sign to say that you h	ave receiv utors plea	ved and ise resp	es. Please also enter your contact det d understood this Field Safety Correct ond to this question based on your r ur end users.	tive Notice.
Produ	and sign to say that you he Organisations and distribu	ave receiv utors plea	ved and ise resp t of you	d understood this Field Safety Correct ond to this question based on your r	tive Notice.
	and sign to say that you he Organisations and distribu understanding of the FSCN ct Code	ave receivators pleand than Numbe	ved and ise resp t of you	d understood this Field Safety Correct ond to this question based on your rur end users.  Product Code	tive Notice. eceipt and
173-41	and sign to say that you he Organisations and distribu understanding of the FSCN	ave receivators pleand than Numbe	ved and ise resp t of you	d understood this Field Safety Correct ond to this question based on your r ur end users.	tive Notice. eceipt and
173-42 173-42	and sign to say that you he Organisations and distribution understanding of the FSCN ct Code	ave receivators pleand than Numbe	ved and ise resp t of you	d understood this Field Safety Correct cond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red)	tive Notice. eceipt and
173-42 173-42 173-43	and sign to say that you he Organisations and distributions and distributions of the FSCN of Code  100-04 (Size 1- Green) 200-07 (Size 2 – Purple)	ave receivators pleand than Numbe	ved and ise resp t of you	d understood this Field Safety Correct fond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red) 173-4500-06 (Size 5 – Orange)	tive Notice. eceipt and
173-41 173-42 173-43	and sign to say that you had organisations and distributions and distributions and distributions of the FSCN of Code  100-04 (Size 1- Green) 100-07 (Size 2 – Purple) 100-02 (Size 3 – Blue)	ave receiv utors plea N and tha Numbe Units	ved and ise resp t of you	d understood this Field Safety Correct fond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red) 173-4500-06 (Size 5 – Orange)	tive Notice. eceipt and
173-41 173-42 173-43	and sign to say that you had Organisations and distributions and distributions and distributions of the FSCN of Code  100-04 (Size 1- Green) 100-07 (Size 2 – Purple) 100-02 (Size 3 – Blue) 100-02 (Size 3 – Blue)	ave receiv utors plea N and tha Numbe Units	ved and ise resp t of you	d understood this Field Safety Correct fond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red) 173-4500-06 (Size 5 – Orange)	tive Notice. eceipt and
173-42 173-43 173-43 Contac Organ	and sign to say that you had Organisations and distributions and distributions and distributions of the FSCN of Code  100-04 (Size 1- Green) 100-07 (Size 2 – Purple) 100-02 (Size 3 – Blue) 100-02 (Size 3 – Blue)	ave receiv utors plea N and tha Numbe Units	ved and ise resp t of you	d understood this Field Safety Correct fond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red) 173-4500-06 (Size 5 – Orange)	tive Notice. eceipt and
173-43 173-43 173-43 Contac Organ Title	and sign to say that you he Organisations and distribution understanding of the FSCN of Code  100-04 (Size 1- Green) 100-07 (Size 2 – Purple) 100-02 (Size 3 – Blue) 100-04 (Size 3 – Blue) 100-05 (Size 3 – Blue) 100-06 (Size 3 – Blue)	ave receiv utors plea N and tha Numbe Units	ved and ise resp t of you	d understood this Field Safety Correct fond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red) 173-4500-06 (Size 5 – Orange)	tive Notice. eceipt and
173-43 173-43 173-43 Contac Organ Title	and sign to say that you he Organisations and distribution understanding of the FSCN of Code  100-04 (Size 1- Green) 100-07 (Size 2 - Purple) 100-02 (Size 3 - Blue) 100-04 (Size 3 - Blue) 100-05 (Size 3 - Blue) 100-06 (Size 3 - Blue) 100-07 (Size 3 - Blue) 100-08 (Size 3 - Blue) 100-09 (Size 3 - Blue) 100-09 (Size 3 - Blue)	ave receiv utors plea N and tha Numbe Units	ved and ise resp t of you	d understood this Field Safety Correct fond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red) 173-4500-06 (Size 5 – Orange)	tive Notice. eceipt and
173-43 173-43 173-43 Contac Organ Title Contac	and sign to say that you he Organisations and distributions and distribution of the FSCN of Code  100-04 (Size 1- Green) 100-07 (Size 2 - Purple) 100-02 (Size 3 - Blue) 100-02 (Size 3 - Blue) 100-04 (Size 3 - Blue) 100-05 (Size 3 - Blue) 100-06 (Size 3 - Blue) 100-07 (Size 3 - Blue) 100-08 (Size 3 - Blue) 100-09 (Size 3 - Blue)	ave receiv utors plea N and tha Numbe Units	ved and ise resp t of you	d understood this Field Safety Correct fond to this question based on your rur end users.  Product Code  173-4400-09 (Size 4 – Red) 173-4500-06 (Size 5 – Orange)	tive Notice. eceipt and

Please email this form to fsn@leckey.com or follow the advice of your provider on where to send this form

19c Ballinderry Road Lisburn BT28 2SA Co.Antrim Northern Ireland UK 0800 318265 [+44] 28 9260 0750 leckey.com hello@leckey.com





